INLINE® SLIM SAS KABEL, SFF-8654 8I ZU 2X SFF-8643

InLine® Slim SAS Kabel zum Verbinden von (internen) SAS Geräten wie z. B. Festplatten an den Controller (HBA-Karten, RAID-Controller, JBOD, DAS, SANS)

- Slim SAS 8i Stecker SFF-8654 an 2x SFF-8643 Stecker
- Stecker mit Verriegelungs-Clip
- Konform zu den SAS 4.0 SFF-8654 Spezifikationen
- Für Datenübertragung bis 24Gb/s pro Kanal geeignet

Technische Daten:

- Artikel Breite: 2,7 cm
- Artikel Höhe: 1,3 cm
- Artikel Länge: 0,50 m
- Farbe: Schwarz
- Seite A: SFF-8654 8i Stecker
- Seite B: SFF-8643 (2x)
- Signal: Daten
- Typ: Slim SAS
- UL: Nein

Art. Nr.	Länge	EAN
27648A	0,50 m	4043718331772
27648B	0,75 m	4043718331789
27648C	1 m	4043718331796

27648A



NOTE:
1. THE CABLE ASSEMBLY SHALL BE MEET RoHS2.0 COMPLIANT.

2. THE CABLE ASSEMBLY SHALL MEET BELOW IMPEDANCE REQUIREMENT:
   TERMINATION AREA: 85±10% OHMS, CABLE ABSOLUTE AREA: 85±10% OHMS.

3. ELECTRICAL AND MECHANICAL PERFORMANCE SHALL MEET PCIe GEN3 SPECI

ITEM	P/N	DESCRIPTION	QTY	UNIT
6	604100070	LABEL: PVC, 25*100mm, WHITE, VW-1, ROHS	1	PCS
5	605040426	EXPANDO TUBE: OD-8.0mm, BLACK, VW-1, HF	A/R	MM
4	605011152	Polyester tape: T=0.12mm, W=30mm, BLACK, ROHS	A/R	MM
3	7415950001	HD MINISAS 100Ω STR	2	PCS
2	TBD	SLIMSAS 8I 100Ω STR	1	PCS
1	603010113	SAS CBL:UL20744, 30#/1P+2EAM, VW-1, 85Ω, 12G	A/R	MM

P1		P2	
GND	B1	B3	GND
PERp0	B2	B4	PETp0
PERn0	B3	B5	PETn0
GND	B4	A3/B6	GND
PERp1	B5	A4	PETp1
PERn1	B6	A5	PETn1
GND	B7	A6	GND
BP_TYPEA	B8	A1	BP_TYPEA
CWAKEA#	B9	B1	CWAKEA#
NC	B10		NC
REFCLKA+	B11	C1	REFCLKA+
REFCLKA-	B12	D1	REFCLKA-
GND	B13	B6	GND
PERp2	B14	B7	PETp2
PERn2	B15	B8	PETn2
GND	B16	A6/B9	GND
PERp3	B17	A7	PETp3
PERn3	B18	A8	PETn3
GND	B19	A9	GND
GND	A1	D3	GND
PETp0	A2	D4	PERp0
PETn0	A3	D5	PERn0
GND	A4	C3/D6	GND
PETp1	A5	C4	PERp1
PETn1	A6	C5	PERn1
GND	A7	C6	GND
2W-CLKA	A8	A2	2W-CLKA
2W-DATA	A9	B2	2W-DATA
NC	A10		NC
PERSTA#	A11	C2	PERSTA#
CPRSNTA#	A12	D2	CPRSNTA#
GND	A13	D6	GND
PETp2	A14	D7	PERp2
PETn2	A15	D8	PERn2
GND	A16	C6/D9	GND
PETp3	A17	C7	PERp3
PETn3	A18	C8	PERn3
GND	A19	C9	GND

P1		P3	
		B3	NC
PERp4	B20	B4	PETp4
PERn4	B21	B5	PETn4
GND	B22	A3/B6	GND
PERp5	B23	A4	PETp5
PERn5	B24	A5	PETn5
GND	B25	A6	GND
BP_TYPEB	B26	A1	BP_TYPEB
CWAKEB#	B27	B1	CWAKEB#
NC	B28		
REFCLKB+	B29	C1	REFCLKB+
REFCLKB-	B30	D1	REFCLKB-
GND	B31	B6	GND
PERp6	B32	B7	PETp6
PERn6	B33	B8	PETn6
GND	B34	A6/B9	GND
PERp7	B35	A7	PETp7
PERn7	B36	A8	PETn7
GND	B37	A9	GND
		D3	NC
PETp4	A20	D4	PERp4
PETn4	A21	D5	PERn4
GND	A22	C3/D6	GND
PETp5	A23	C4	PERp5
PETn5	A24	C5	PERn5
GND	A25	C6	GND
2W-CLKB	A26	A2	2W-CLKB
2W-DATB	A27	B2	2W-DATB
NC	A28		
PERSTB#	A29	C2	PERSTB#
CPRSNTB#	A30	D2	CPRSNTB#
GND	A31	D6	GND
PETp6	A32	D7	PERp6
PETn6	A33	D8	PERn6
GND	A34	C6/D9	GND
PETp7	A35	C7	PERp7
PETn7	A36	C8	PERn7
GND	A37	C9	GND

27648B



NOTE:
1. THE CABLE ASSEMBLY SHALL BE MEET RoHS2.0 COMPLIANT.

2. THE CABLE ASSEMBLY SHALL MEET BELOW IMPEDANCE REQUIREMENT:
   TERMINATION AREA: 85±10% OHMS, CABLE ABSOLUTE AREA: 85±10% OHMS.

3. ELECTRICAL AND MECHANICAL PERFORMANCE SHALL MEET PCIe GEN3 SPECI

ITEM	P/N	DESCRIPTION	QTY	UNIT
6	604100070	LABEL: PVC, 25*100mm, WHITE, VW-1, ROHS	1	PCS
5	605040426	EXPANDO TUBE: OD=8.0mm, BLACK, VW-1, HF	A/R	MM
4	605011152	Polyester tape: T=0.12mm, W=30mm, BLACK, ROHS	A/R	MM
3	7415950001	HD MINISAS 100Ω STR	2	PCS
2	TBD	SLIMSAS 8I 100Ω STR	1	PCS
1	603010113	SAS CBL:UL20744, 30#/1P+2EAM, VW-1, 85Ω, 12G	A/R	MM

P1		P2	
GND	B1	B3	GND
PERp0	B2	B4	PETp0
PERn0	B3	B5	PETn0
GND	B4	A3/B6	GND
PERp1	B5	A4	PETp1
PERn1	B6	A5	PETn1
GND	B7	A6	GND
BP_TYPEA	B8	A1	BP_TYPEA
CWAKEA#	B9	B1	CWAKEA#
NC	B10		NC
REFCLKA+	B11	C1	REFCLKA+
REFCLKA-	B12	D1	REFCLKA-
GND	B13	B6	GND
PERp2	B14	B7	PETp2
PERn2	B15	B8	PETn2
GND	B16	A6/B9	GND
PERp3	B17	A7	PETp3
PERn3	B18	A8	PETn3
GND	B19	A9	GND
GND	A1	D3	GND
PETp0	A2	D4	PERp0
PETn0	A3	D5	PERn0
GND	A4	C3/D6	GND
PETp1	A5	C4	PERp1
PETn1	A6	C5	PERn1
GND	A7	C6	GND
2W-CLKA	A8	A2	2W-CLKA
2W-DATA	A9	B2	2W-DATA
NC	A10		NC
PERSTA#	A11	C2	PERSTA#
CPRSNTA#	A12	D2	CPRSNTA#
GND	A13	D6	GND
PETp2	A14	D7	PERp2
PETn2	A15	D8	PERn2
GND	A16	C6/D9	GND
PETp3	A17	C7	PERp3
PETn3	A18	C8	PERn3
GND	A19	C9	GND

P1		P3	
		B3	NC
PERp4	B20	B4	PETp4
PERn4	B21	B5	PETn4
GND	B22	A3/B6	GND
PERp5	B23	A4	PETp5
PERn5	B24	A5	PETn5
GND	B25	A6	GND
BP_TYPEB	B26	A1	BP_TYPEB
CWAKEB#	B27	B1	CWAKEB#
NC	B28		
REFCLKB+	B29	C1	REFCLKB+
REFCLKB-	B30	D1	REFCLKB-
GND	B31	B6	GND
PERp6	B32	B7	PETp6
PERn6	B33	B8	PETn6
GND	B34	A6/B9	GND
PERp7	B35	A7	PETp7
PERn7	B36	A8	PETn7
GND	B37	A9	GND
		D3	NC
PETp4	A20	D4	PERp4
PETn4	A21	D5	PERn4
GND	A22	C3/D6	GND
PETp5	A23	C4	PERp5
PETn5	A24	C5	PERn5
GND	A25	C6	GND
2W-CLKB	A26	A2	2W-CLKB
2W-DATB	A27	B2	2W-DATB
NC	A28		
PERSTB#	A29	C2	PERSTB#
CPRSNTB#	A30	D2	CPRSNTB#
GND	A31	D6	GND
PETp6	A32	D7	PERp6
PETn6	A33	D8	PERn6
GND	A34	C6/D9	GND
PETp7	A35	C7	PERp7
PETn7	A36	C8	PERn7
GND	A37	C9	GND

27648C



NOTE:
1. THE CABLE ASSEMBLY SHALL BE MEET RoHS2.0 COMPLIANT.

2. THE CABLE ASSEMBLY SHALL MEET BELOW IMPEDANCE REQUIREMENT:
   TERMINATION AREA: 85±10% OHMS, CABLE ABSOLUTE AREA: 85±10% OHMS.

3. ELECTRICAL AND MECHANICAL PERFORMANCE SHALL MEET PCIe GEN3 SPECI

ITEM	P/N	DESCRIPTION	QTY	UNIT
6	604100070	LABEL: PVC, 25*100mm, WHITE, VW-1, ROHS	1	PCS
5	605040426	EXPANDO TUBE: OD=8.0mm, BLACK, VW-1, HF	A/R	MM
4	605011152	Polyester tape: T=0.12mm, W=30mm, BLACK, ROHS	A/R	MM
3	7415950001	HD MINISAS 100Ω STR	2	PCS
2	TBD	SLIMSAS 8I 100Ω STR	1	PCS
1	603010113	SAS CBL:UL20744, 30#/1P+2EAM, VW-1, 85Ω, 12G	A/R	MM

P1		P2	
GND	B1	B3	GND
PERp0	B2	B4	PETp0
PERn0	B3	B5	PETn0
GND	B4	A3/B6	GND
PERp1	B5	A4	PETp1
PERn1	B6	A5	PETn1
GND	B7	A6	GND
BP_TYPEA	B8	A1	BP_TYPEA
CWAKEA#	B9	B1	CWAKEA#
NC	B10		NC
REFCLKA+	B11	C1	REFCLKA+
REFCLKA-	B12	D1	REFCLKA-
GND	B13	B6	GND
PERp2	B14	B7	PETp2
PERn2	B15	B8	PETn2
GND	B16	A6/B9	GND
PERp3	B17	A7	PETp3
PERn3	B18	A8	PETn3
GND	B19	A9	GND
GND	A1	D3	GND
PETp0	A2	D4	PERp0
PETn0	A3	D5	PERn0
GND	A4	C3/D6	GND
PETp1	A5	C4	PERp1
PETn1	A6	C5	PERn1
GND	A7	C6	GND
2W-CLKA	A8	A2	2W-CLKA
2W-DATA	A9	B2	2W-DATA
NC	A10		NC
PERSTA#	A11	C2	PERSTA#
CPRSNTA#	A12	D2	CPRSNTA#
GND	A13	D6	GND
PETp2	A14	D7	PERp2
PETn2	A15	D8	PERn2
GND	A16	C6/D9	GND
PETp3	A17	C7	PERp3
PETn3	A18	C8	PERn3
GND	A19	C9	GND

P1		P3	
		B3	NC
PERp4	B20	B4	PETp4
PERn4	B21	B5	PETn4
GND	B22	A3/B6	GND
PERp5	B23	A4	PETp5
PERn5	B24	A5	PETn5
GND	B25	A6	GND
BP_TYPEB	B26	A1	BP_TYPEB
CWAKEB#	B27	B1	CWAKEB#
NC	B28		
REFCLKB+	B29	C1	REFCLKB+
REFCLKB-	B30	D1	REFCLKB-
GND	B31	B6	GND
PERp6	B32	B7	PETp6
PERn6	B33	B8	PETn6
GND	B34	A6/B9	GND
PERp7	B35	A7	PETp7
PERn7	B36	A8	PETn7
GND	B37	A9	GND
		D3	NC
PETp4	A20	D4	PERp4
PETn4	A21	D5	PERn4
GND	A22	C3/D6	GND
PETp5	A23	C4	PERp5
PETn5	A24	C5	PERn5
GND	A25	C6	GND
2W-CLKB	A26	A2	2W-CLKB
2W-DATB	A27	B2	2W-DATB
NC	A28		
PERSTB#	A29	C2	PERSTB#
CPRSNTB#	A30	D2	CPRSNTB#
GND	A31	D6	GND
PETp6	A32	D7	PERp6
PETn6	A33	D8	PERn6
GND	A34	C6/D9	GND
PETp7	A35	C7	PERp7
PETn7	A36	C8	PERn7
GND	A37	C9	GND